COMPUTER ARCHITECTURE

FROM THE STONE AGE TO THE QUANTUM AGE

CHARLES FOX



no starch press

INDEX

Numbers

- 328, 289–290
- 386, 304, 306
- 486, 304, 306, 307, 317
- 4004, 34, 109–110, 305
- 6502, 33, 35, 205, 245, 248–260, 266, 278, 280, 289, 342, 436
- 68000, 266–269
- 7400, 120–121, 128
- 8080, 305
- 8086, 190, 304, 318, 379
- 8087, 190, 317

A

- abacus, 7, 43
  - addition, 8
  - complex algorithms, 9
- accumulator architecture
  - abacus, 8
  - Manchester Baby, 165
  - mechanical calculator, 13
  - vs. more registers, 182
- Acorn Computers, 342
- adders, 140
  - carry-save, 143
    - in LogiSim, 154
  - full adder, 140
  - half adder, 140
  - ripple-carry, 142
- addressing modes, 184
  - 68000, 267
  - x86, 311
- address space, 201, 217, 267
- Adelman, Leonard, 407
- adiabatic quantum computing, 419
- Advanced Vector Extensions (AVX), 362
- algorithm, 8
- Altera, 131
- ALU. *See* arithmetic logic unit
- AMD, 131, 304–305
- amd64, 307
- American Standard Code for Information Interchange (ASCII), 64–66, 317
- Amiga, Commodore, 269–271, 279
- analog computing
  - differential analyzers, 20
  - transistors, 104
  - water computing, 4
- Analytical Engine, 17, 77
  - arithmetic, 80
  - arithmetic logic unit, 83
  - as basis of ENIAC, 28
  - branching, 81
  - data representation, 57
  - registers, 83
- AND gates, 115–116
  - multi-input, 136
  - poor man's gate, 111
- Antikythera mechanism, 10–11, 14
- application-specific integrated circuit (ASIC), 108
- Arabic numerals, 48
- architecture, instruction set (ISA), xxxiii, 183, 302
- Arduino, 288
- arithmetic logic unit (ALU), 83
  - 6502, 254, 257
  - 68000, 269
  - Analytical Engine, 80, 83
  - Manchester Baby, 158, 166, 173
  - RISC-V, 347
  - x86, 312
- ARM, 343
- array operator, 136
- arrays, 62
- ASCII, 64–66, 317

assemblers, 160
  Manchester Baby, 159
  RISC-V, 345
  vasm, 279
assembly languages, 160
assembly programming, xxii
ATmega328, 289–290
  in Arduino, 288
  without Arduino, 293
ATX, xxviii
audio
  cards, 327
  chiptunes, 265
  data, 68
  signal processing, 294
automated flute, 12
AVX (Advanced Vector Extensions), 362

B

Babbage, Charles, xxiii, 16–17, 77
backspace fails, 64
Banu Musa brothers, 12
bare metal, xxii
barrel organ, 15
barrel pins, 303
base, multiplication of, 50
BBC Micro, 35, 342
Berkeley Educational cores, 349
big data analytics, 22, 39
big endians, 218
billiard-ball computer, 119
binary, 51
BIOS, 333
  booting, 431
  Commodore 64, 260
  Commodore Amiga, 270
  PC, 329
  in retro computers, 246
  x86, 316
bit, 51, 217
Bletchley Park, 25
  and parallelism, 357
blitting, 271
Bombes, 26, 28
Boole, George, 126
Boolean algebra, 115
Boolean logic, 122, 127
BOOM, 349
booting, 329, 331, 333, 430
branching
  6502, 258
  68000, 268
  Analytical Engine, 18, 81, 87
  hazards, 192
  Manchester Baby, 158, 175
  Nvidia, 368
  prediction, 195
  RISC-V, 346
  SIMD, 370
  statistics of, 195
  x86, 314
breadboard, 107, 122, 128, 288
Bronze Age, 7
bubbling, 194
buffer, 207
  double, 208
  ring, 207
bugs, 30
burning
  bootable USB, 333
  firmware, xxxi
  optical discs, 239
bus, 322
  architecture, 203
  Ethernet, 324
  hierarchy, 321
  PC, 319
  PCIe, 322
  SATA, 323
  SCSI, 323
  serial, 321
byte addressing, 218
bytes, 55, 217

C

C64 (Commodore 64), 248, 260, 279, 343
cache, 226
  advanced architectures, 232
  block, 228
  direct-mapped, 229
    in LogiSim, 242
  fully associative, 230
  lines, 228
  read policies, 229
  set associative, 231

    tag, 228
    write-back, 231
    write policies, 231
    write-through, 232
calculation, 76
calculators vs. computers, 4
calling convention, 189, 316, 344
cameras, 351
capacitors, 222
    in DRAM, 222
    in touchscreens, 351
carry operation, 8
carry-save adder, 143
cathode ray tube (CRT)
    display device, 275
    memory, 221
central processing unit (CPU), xxvi, 155
    Analytical Engine, 77
    building from TTL chips, 129
    locating, xxvi
CERN, 37, 420
chip, 108
chiplets, 379
chips, 34
chiptunes, 265
Chisel, 150, 152, 349, 353
Church computer, 5, 26, 28, 40–41
Church's thesis, 5. *See also* Church computer
CISC, 183, 192, 199
    design philosophy, 302
    microprogramming, 303
    similarities with RISC, 352
clock, 107, 147, 250
    Commodore Amiga, 270
    piezoelectric, 107
    speed, 107
        Moore's law, 110
    x86, 307
closed loop, 184
cloud computing, 40, 386, 398
cloud storage, 386
cluster, 39
CMOS (complementary metal-oxide semiconductor), 109, 118, 120
co-location, 386
Colossus, 28
combinatorial logic, 136
Commodore, 35, 246, 265
Commodore 64 (C64), 248, 260, 279, 343
Commodore Amiga, 269–271, 279
compilers, 36, 136
    dataflow, 388
    GPU, 375
    hints, 195
    optimizing, xxii
    with SIMD, 364
Complex Interface Adapter (CIA), 202
compound notation, 52
compression, 69, 403
computable numbers, 61–62
computation theory, 77
computer
    architecture, xxxiii
    definition of, 4
    design, xxxiii
        Commodore 64, 260
        Commodore Amiga, 269
        desktop PC, 318
        smart, 349
    inventor of, 41
    organization, xxxiii
concurrency, 426
conditional jump, 82
connectors
    audio, xxxi
    MIDI, 277
    ribbon cables, 321
    serial port, 276
containerization, 432
controller area network (CAN), 287
control unit (CU)
    6502, 255
    68000, 268
    Analytical Engine, 84
    Manchester Baby, 167
    RISC-V, 346
    x86, 314
convolution, 403
cortical columns, 410
counter, 148, 284
    example use, 168
CPU. *See* central processing unit
cryptanalysis, 24
cryptography, 24

cryptology, 24
  electronic, 27
  quantum, 419
CUDA, 375
current, electrical, 101
Cyrix, 306

D

data
  compression, 403
  hazard, 192
  measuring, 70
  structures, 69
data center, 241
  dataflow, 387
    languages, 388
datasheets, xxxiv
da Vinci, Leonardo, 13
decoding, 75, 86, 138, 168, 171, 255
decoherence, 419
de Coriolis, Gaspard-Gustave, 21
deep learning, xxiv, 372
demultiplexer, 139
depletion zone, 99
design philosophy
  CISC, 302
  Internet of Things, 40
  mindful computing, 298
  open source hardware, 398
  RISC, 341
  Ubicomp, 298
desktop computers, 41
  inside, xxvi
device drivers, 427
devices, 201
diesel age, 22
die shot, 120, 250
  68000, 266
  x86, 379
Difference Engine, 16
differential analyzers
  electromechanical, 23
  mechanical, 20
differential equations, 21, 24
digital logic
  laying out, 128
  for operand forwarding, 198
digital signal processor (DSP), 294
Digital Versatile Disc (DVD), 240
diode
  heat, 95
  p-n junction, 96
  vacuum tube, 96
directionality, 94
direct mapping, 229
direct memory access (DMA), 211
  Amiga, 270
  in graphics, 325
  remote, 382
dirty bit, 228, 231
discrete Fourier transform (DFT), 403
disc, optical, 239
disk, 236
  floppy, 238
  hard, 238
distributed computing, 383
DMA in blitting, 271
DNA computing, 405
doping, 98
  physical region layout, 120
double buffers, 208
D-type flip-flop, 148, 164
dynamic RAM (DRAM), 222

E

eager execution, 194
Eckert, J. Presper, 28
EEPROM, 225, 226
electrical current, 101
electrically erasable programmable ROM (EEPROM), 226
electromechanical computing, 22
electrons, 97
embedded systems, 281
  Arduino, 287–292
  CPU-based, 283–295
  design principles, 282–283
  embedded I/O, 284–287
  microcontrollers, 283–284
  no CPU, 295–298
  vs. smart devices, 340
  washing machine, xxxi
emulators, xxiv
  6502, 278
  Amiga, 279

  - Analytical Engine, 77, 88
  - Arduino, 299
  - Commodore 64, 279
  - Manchester Baby, 179
- encoder, 138
- endianness, 218
- energy usage, xxiv
  - billiard-ball model, 119
  - in CPU, 38
- ENIAC, 28
  - as Church computer, 41
  - programmers, 29
  - switches, 103
- Enigma, 24–26
- entropy, 94
- erasable programmable ROM (EPROM), 226
- error correction code RAM (ECC-RAM), 224
- Ethernet, 324
- executable file, 160
- execution, 79, 86, 172
- exponent, 50

F

- fabrication, 108, 399
  - plant (fab), 111
- Fairchild Semiconductor, 305
- feedback, 145
- fetching, 75, 85–86, 170
- field-effect transistors (FETs), 105, 106, 108–109
- field programmable gate array (FPGA), 131, 297, 398
  - neural networks, 390
- firmware, xxxi
- fixed-point numbers, 60
  - in DSP, 294
- flash memory, 226, 240
- Fleming, John, 27
- flip-flop
  - clocked, 147
  - D-type, 148
  - SR, 147
- floating point
  - numbers, 61
  - registers, 189
  - in RISC-V, 347–348
  - unit (FPU), 189–190, 199
  - in x86, 317
- floppy disk, 238
- flow control, 175–176, 314
- Flowers, Tommy, 28
- form factor, xxviii
- forward bias, 100
- Fourier transform, 69
- Fourmilab Analytical Engine emulator, 78–79, 88
- FPGA. *See* field programmable gate array
- front side bus (FSB), 204
- full adder, 140
- fully associative cache, 230
- fuses in programmable logic arrays, 130

G

- garbage, 119
- general relativity (GR), 421
- GLSL, 326, 377
- God, existence of, 126
- golden age
  - 1980s, 35
  - Islamic, 12, 48
  - new, xxiii, 38, 349, 398
- GPU (graphics processing unit), 39, 324, 364
  - locating, xxviii
- graphics cards, 324
- grid computing, 384
- Grover's algorithm, 418
- guitar
  - amplifier
    - model of sequential logic, 145
    - tubes, 27
  - effects, 294

H

- half adder, 140
- halting, 156
- hard disk, 238
- hardware description languages, 150–151
- Harvard architecture, 20, 29–30, 41
- hash function, 228
- hazards, 192
  - branching, 192
  - correction of, 193

hazards *(continued)*
    data, 192
    structural, 193
heat, 38, 119
“Hello, world”
    in BIOS, 336
    in operating system, 429
hexadecimal, 53–55
hex editors, 54
high-performance computing (HPC), 382
hippocampus, 413
history, speculative, 43
history of computing, 3
    1950s, 31
    1960s, 32
    1970s, 34
    1980s, 35
    1990s, 36
    2000s, 37
    2010s, 38
    2020s, 40
    Bronze Age, 7
    diesel age, 22
    electrical age, 27
    Iron Age, 9
    Islamic golden age, 12
    Renaissance and Enlightenment, 13
    Steam Age, 14
    Stone Age, 6
holes, 98
Hollerith machine, 22, 26
Hubbard, Rob, 265
human computers, 357
hypercomputation, 421
hyperthreading, 198
hypervisor mode, 432

I

IBM, 22, 26, 32, 35, 42, 304
    5150, 318
    atomic research, 400
IEEE 754, 61
images, 67
input/output (I/O), 201
    embedded, 284
    for memory access, 233
    modules, 201, 206, 323
    PC, 321
    retro devices, 275
instructionless parallelism, 387
instruction set, 79, 183
    6502, 255
    68000, 267
    amd64, 307
    Analytical Engine, 79
    DSP, 294–295
    Manchester Baby, 30, 156
    RISC-V extensions, 347
    SIMD, 359
    size of, 183
instruction set architecture (ISA), xxxiii, 183, 302
integers, 59, 84
integrated circuits (ICs), 34, 117, 250
    vs. cortex, 412
Intel, 131, 304–305
Inter-Integrated Circuit bus, 286–287
internal registers, 165
Internet of Things (IoT), 40, 253
interrupt architecture, 210
interrupt request (IRQ), 210, 250
ion channels, 408
Ishango bone, 6–7

J

Jacquard loom, 15
jumps, 81–82
    6502, 258
    68000, 268
    Analytical Engine, 81
    conditional, 82
    Manchester Baby, 175
    Nvidia, 368
    RISC-V, 346
    x86, 314
Jupiter RISC-V simulator, 352

K

KERNAL (C64), 263
kernel, 426, 436
keyboard, 276, 328
Khronos, 365

L

labels
    6502, 258
    x86, 314

ladder logic, 296
laptop, xxviii
Lebombo bone, 6–7
LEGO, 10, 16
light-emitting diode (LED), 101
Linear Tape Open (LTO), 235–236
Linux architecture information commands, xxxiv
little endian, 218
loaders, 428–429
load instructions, 77
    6502, 256
    Amiga, 267
    Analytical Engine, 80
    Arduino, 291
    Manchester Baby, 157, 172
logic
    as arithmetic, 123
    Boolean, 122
    entailment, 124
    proof, 124
logic gates, 114–115
    AND, 115, 119
    on chips, 120
    clocked, 147
    making from transistors, 117
    multi-input, 136
    NAND, 115
    networks of, 116
    vs. neurons, 409
    NOT, 115
    OR, 115
    on TTL chips, 120
    universal, 117
    XOR, 115
logic networks, simplifying, 127
LogiSim
    adder, 154
    building gates, 133
    cache, 242
    floating-point unit, 199
    as an HDL, 150
    Manchester Baby implementation, 176
    multiplier, 154
    pipelining, 199
    SRAM, 242
loops, 19
Lovelace, Ada, 88
LP-DRAM, 350

M

machine code
    Manchester Baby, 162
    Nvidia, 372
mainboard, xxvi–xxvii, 325
    Arduino, 291
    Commodore 64, 260
    GPU, 325
    laptop, xxviii
    RISC-V, 349
Manchester Baby, 30, 156
    arithmetic, 166
    assemblers, 159
    as Church computer, 41
    complete implementation, 176
    control unit, 167
    decode, 171
    execute, 172
        flow control, 175
        load, 172
        store, 172
    fetch, 170
    instructions
        arithmetic, 158
        constants, 157
        halt, 156
        jumps, 158
        load, 157
        store, 157
    instruction set, 156
    internal structures, 163
    in LogiSim, 174
        attaching SRAM, 242
    machine code, 162
    manual, 180
    programmer interface, 156
    registers, 164
        instruction, 166
        internal, 165
        user, 165
    RTL description, 178
    sample program, 161
map-reduce, 387
mask
    files, 151
    PCB, xxviii

mask *(continued)*
    ROM, 225
    set, 120
    silicon, 108, 129
    silkscreen, xxvii
masking (GPU), 369
Mauchly, John, 28
Meltdown, xxiii, 433
memory, 145, 215
    10,000-year, 401
    address, 217
    caches, 226
    disk, 236
        floppy, 238
        hard, 238
    embedded, 284
    as feedback, 145
    flash, 226
    hierarchy, 215
    modules, 219
    offline, 233
    optical disc, 239
    primary, 217
    punch cards, 234
    punch tape, 234
    RAM, 219
        dynamic, 222
        error-correcting, 224
        historical, 220
        LP-DRAM, 350
        static, 221, 242
    secondary, 233
    system, 217
    tertiary, 240
memory address register (MAR), 205
memory buffer register (MBR), 205
mercury delay line, 220
microchips, 34
microcontrollers, 283
    Arduino, 288
    ATmega328P, 288
microprogramming, 303
MIDI (Musical Instrument Device Interface), 277
MIMD, 378
    cloud, 386
    cluster, 384
    decentralized, 384
    distributed, 383
    grid, 384
    NUMA, 381
    shared-memory, 378
mindful computing, 298
MMX, 360
model checking, 124
MONIAC, 4
monitors, 324
MOnSter 6502, 33, 253
Moore, Gordon, 34, 109, 305
Moore's law, xxiv, 34, 109, 227, 307, 325, 400
    end of, 38
    vs. parallelism, 355
    in x86, 307
MOS, 265
MOSFETs (metal-oxide-semiconductor FETs), 109
mouse, 328
multicore, 38, 379
multi-input gates, 136
multimedia, 67
multiple instruction, multiple data. *See* MIMD
multiplexer, 139, 168
    building, 154
music
    chiptunes, 265
    MIDI, 277
    processing unit, 74
    sample-based, 249

N

NaN ("not a number"), 61, 189
NAND gate, 115–116
NASM (Netwide Assembler), 311–312, 314, 317–318, 331–332
natural numbers, 56
negator, 143
netlist files, 151
Netwide Assembler (NASM), 311–312, 314, 317–318, 331–332
neural networks, xxiv
    on FPGA, 390
neural processor units (NPUs), 390
neurons, 371, 389, 405, 407
    vs. logic gates, 409

neuroscience, 407
non-uniform memory access (NUMA), 381–383
NOP (null operation), 193
NOR gate, 116
Northbridge, 320
“not a number” (NaN), 61, 189
NOT gate, 115
n-p-n transistors, 105
null operation (NOP), 193
NUMA (non-uniform memory access), 381–383
Nvidia, 366

O

odometers, 10
offline memory, 233
OLED (organic LED), 324
online storage, 233
on-the-go (OTG) USB protocol, 324
OOOE (out-of-order execution), 196
opcodes, 160, 256
OpenCL, 377
OpenGL, 325
open loop, 184
open source
  cloud, 399
  hardware, xxiv, 398
  software, 37
operand, 160
operand forwarding, 196
operating systems, real-time, 432–433
optical computing, 26, 402
optical correlators, 403–404
optical disc, 239
optic flow, 328
OR gate, 115–116
out-of-order execution (OOOE), 196

P

parallel
  architectures, xxiv, 355
  programming, xxiv
  thinking, 356, 413
parallelism, instructionless, 387
particle accelerator, 109, 420
particle physics, 420
Pascal’s calculator, 13
  advanced arithmetic, 76
  in digital logic, 148
Patterson, David, 341, 349
PCBs, xxvii–xxviii, 293
Pentium, 306
peripherals, 202
personal computer (PC), xxvi, 36
PETSCII, 262
photolithography
  for camera sensors, 351
  for chips, 129
  for monitors, 324
  for touchscreens, 351
piano roll, 74–75
PIC microcontrollers, 293
piezoelectric properties, 107
pipelining, 190–196, 199
  68000, 267
  vs. hyperthreading, 198
  in LogiSim, 199
  RISC, 341
  x86, 307
p-n junctions, 96
p-n-p transistor, 103
polling, 209
pre-charging, 223
primary memory, 217
principle of locality, 227
printed circuit boards (PCBs), xxvii–xxviii, 293
processor, xxvi
  multicore, 38
program, definition of, 79
programmable logic array (PLA), 130
programmable logic controllers (PLCs), 295
programmable ROM (PROM), 225
programming
  6502, 263
  68000, 267
  assembly, xxii
  Analytical Engine, 88
  Arduino, 291, 299
  to avoid hazards, 193
  Commodore 64, 263
  Commodore Amiga, 271
  in the 8-bit era, xxii, 163

programming *(continued)*
  high performance, xxii
  Manchester Baby, 179
  modern, xxii
  Nvidia, 392
  Nvidia SASS, 394
  parallel, 356
  retro, 246
  RISC-V, 345
  systems, xxii
  x86, 308
    SIMD, 392
    64-bit mode, 333
PROM, 225
pseudo-instructions, 344
PTX, 366
punch cards, 79, 234

Q

quantum computing, 414
  adiabatic, 419
  decoherence, 419
  in practice, 419
  qubit, 417
  registers, 416
  simulation, 417
quantum field theory (QFT), 420
quantum mechanics
  cartoon version, 414
  math version, 415
quartz, 107
qubit, 417

R

random-access memory (RAM), 77, 150, 219
  Analytical Engine, 79
  locating, xxvi
  Williams tube, 221
rationals, 60
read after write, 192
read-only memory. *See* ROM
real-time operating systems (RTOS), 432
registers
  Analytical Engine, 83
  floating-point, 189
  instruction, 166
  internal, 165, 310, 254
  Manchester Baby, 164
  quantum, 416
  RISC style, 341, 344
  SIMD splitting, 359
  user, 165
    6502, 253
    68000, 267
    choosing number of, 181
  x86 status, 309–310
Rejewski, Marian, 25
relay switch, 22
remote DMA, 382
retro architectures, 245
reverse bias, 95–96, 100
reversible computation, 119
ring buffers, 207
ripple-carry adder, 142
RISC, 183, 192, 199, 341
  similarities with CISC, 352
RISC-V, 343
  arithmetic, 347
  community, 349
  control flow, 346
  floating point, 348
  implementations, 348
  programming, 345
  registers, 341, 344
  SIMD, 364
  tooling, 349
Rocket, 349
ROM (read-only memory), 225
  EEPROM, 226
  EPROM, 226
  flash, 226
  mask, 225
  programmable, 225
Roman numerals, 47
Rose's law, 419
Rowhammer, 224
RTOS (real-time operating systems), 432

S

SASS, 372, 394
SATA, 323
screwdrivers, xxxiv
SCSI, 323
secondary memory, 233
sectors, 237

security, xxiii, 428
  cracking, 54
  embedded, 297
  SCADA, 297
  secure boot, circumventing, xxix
  vulnerabilities
    Meltdown, xxiii, 433
    Rowhammer, 224
    Spectre, xxiii, 433
segmentation, 317
semiconductors, 97
sequencer, 149
sequential logic, 144, 146
serial port, 276
  embedded, 286
Serial Storage Architecture (SSA), 323
set associative, 231
SETI, 385
sexagesimal, 52
shaders, 326, 367
Shannon, Claude, 114, 127
shared-memory MIMD, 378
shifter, 137
Shockley, William, 304
SID (Sound Interface Device), 265
silicon, 97
  chips, 108
  crystal, 98
  cubes, 400
  ingots, 108
  3D architectures, 400
  wafers, 108
silk-screening, xxvii
SIMD, 358
  on GPU, 364
  on RISC-V, 364
  on x86, 359
simple machines, 135
  adders, 140
  vs. cortical columns, 410
  decoder, 138
  demultiplexer, 139
  encoder, 138
  multiplexer, 139
  shifter, 137
simulator
  6502, 278
  abacus, 42
  Amiga, 279
  Analytical Engine, 77, 88
  Arduino, 299
  Commodore 64, 279
  Manchester Baby, 179
  quantum computing, 417
  RISC-V, 352
single in-line memory modules (SIMMs), 224
Small-Scale Experimental Machine, 30
smart, 340
  architectures, 339
  cities, xxiii, 40, 398
  computer design, 349
  computing, xxiii
  factories, 40
  homes, xxxi, 340, 398
  transport, xxiii
smartphones, xxix, xxxv, 340
soldering, xxviii
solenoid, 22
solid-state drives (SSDs), 240
sound card, 327
Southbridge, 320
Space Invaders, 4, 248
Spectre, xxiii, 433
SPIR-V, 376
SRAM (static RAM), 221–222
SR flip-flop, 146
SSE (streaming SIMD extensions), 361–362
stack pointer register, 187–188, 315
stalling, 194
static RAM (SRAM), 221–222
status
  flag, 82–83
  register
    6502, 255
    68000, 267
    x86, 310
Stone Age, 6
store (write) addresses, 77
  6502, 256
  Amiga, 267
  Analytical Engine, 19, 80
  Manchester Baby, 157, 172
stored program, 30

streaming SIMD extensions (SSE), 361–362
structural hazard, 193
subgroups, GPU, 369
subroutines, 186
  6502, 259
  RISC-V, 346
  x86, 315
subtractor, 144
supercomputers, xxiii, 382
supervisor mode, 432
supervisory control and data acquisition (SCADA), 295, 297
swap space, 427
switch, 93, 101
  electrical tube, 102
  telephone exchange, 114
  transistor, 103
  water, 101
  water pressure effect, 105
symmetric multi-processing (SMP), 378
system memory, 217

T

tag, 228
tally sticks, 46–48
tape, 234
taping out, 250
tensor processor units (TPUs), 390
tertiary memory, 240
text representation
  ASCII, 64
  history of, 63–64
  PETSCII, 262
  scrolling, 264
  Unicode, 66
timer, 284
touchscreens, 351
tracks, 237
Tramiel, Jack, 260
transistors, 32, 103
  atomic scale, 399
  field-effect, 105, 106, 108–109
  history of, 32
  vs. ion channels, 408
  making logic gates from, 117
  n-p-n, 105
  optical, 402
  p-n-p, 103
translation lookaside buffer (TLB), 427
truth table, 115, 133
TTL chips, 120, 128
tunnels, 169
Turing, Alan, 26
  on computable numbers, 62
  Manchester Baby program, 161
two's complement, 154

U

Ubicomp, 298
UEFI, 330, 430–431
unconditional jump, 82
Unicode, 66–67
UNIVAC
  data representation, 58
  history of, 31
universal gates, 117, 127
universal serial bus (USB), 323
user registers, 165, 181
UTF-8, 66
UTF-16, 67
UTF-32, 67

V

vacuum tubes, 27, 30
valve
  electrical, 27
  water, 94–95
vasm cross-enabler, 279
Verilog, 150–151
very long instruction words (VLIW), 378
VHDL, 150–151
Via, 306
virtual machine
  in ENIAC, 29
  x86, 332
virtual memory, 427
Visual 6502 project, 251
visual display unit (VDU), 325
volatile memory, 219

W

warrant, voiding, xxxiv
washing machines, xxxi

watchdog, 284
water computer, 4
Watson, Thomas, 26, 32, 40
Wilkes, Maurice, 24, 302–303
Williams tube, 221
wires, copper, 120
    vs. neurotransmission, 410
    on PCBs, xxviii
Wokwi emulator, 299
word, 217
write after read, 192
write after write, 192
write-back, 231
write-through, 232

X

x86, 304, 308
    16-bit era, 305
    32-bit era, 306
    64-bit era, 307
    AVX extensions, 362
    back-compatibility, 318
    history of, 304
    MMX extensions, 360
    multicore, 379
    SIMD, 359
    SSE extensions, 361
x87, 317
Xilinx, 131
XOR gate, 115–116

Z

Z3, 26
zero-paging, 257
Zuse, Konrad, 26



A JOURNEY THROUGH COMPUTER HISTORY

Computer Architecture is an in-depth exploration of the principles and designs that have shaped computer hardware through the ages, from counting devices like the abacus, to Babbage's Difference Engine, to modern GPUs and the frontiers of quantum computing.

This engaging blend of history, theory, hands-on exercises, and real-world examples is sure to make for an insightful romp through a fast-changing world. You won't just read about computer architecture, you'll also gain the understanding to touch, build, and program it. You'll explore the basic structures of a CPU by learning to program a Victorian Analytical Engine. You'll extend electronic machines to 8-bit and 16-bit retro gaming computers, learning to program a Commodore 64 and an Amiga. You'll delve into x86 and RISC-V architectures, cloud and supercomputers, and ideas for future technologies.

You'll also learn:

- How to represent data with different coding schemes and build digital logic gates
- The basics of machine and assembly language programming
- How pipelining, out-of-order execution, and parallelism work, in context
- The power and promise of neural networks, DNA, photonics, and quantum computing

Whether you're a student, a professional, or simply a tech enthusiast, after reading this book, you'll grasp the milestones of computer architecture and be able to engage directly with the technology that defines today's world. Prepare to be inspired, challenged, and above all, see and experience the digital world, hands-on.

ABOUT THE AUTHOR

Charles Fox is an award-winning senior lecturer at the University of Lincoln, UK. With degrees from Cambridge, Oxford, and the University of Edinburgh, Fox has published over 100 research papers, which often apply embedded, smart, parallel, and neural architectures to AI and robotics. He's a Fellow of the Higher Education Academy (FHEA) and the author of *Data Science for Transport* (Springer, 2018).

no starch press®

THE FINEST IN GEEK ENTERTAINMENT™

nostarch.com

$59.99 US ($78.99 CDN)

ISBN 978-1-71850-286-4

55999

9 781718 502864